MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Drink 3-4 glasses of MILK or WATER. NO NOT INDUCE vomiting. Seek Medical Attention

SECTION 1 - CHEWI	CAL PROD	OUC I AND C	JUMPAN	I IDEN I	IFICATIO	N	
Hazardous Ingredients (specific) HIGH GLOSS FLEX PLATINUM				WHMIS Classification: MINIMAL			
Product Use: Floor Finish							
Manufacturer's Name:							
ULTRA CHEM USA INC.				Supplier's Name			
Street Address: 1462 E. MISSION BLVD				Street Address			
City:	Province:/ State		01				
POMONA Postal Code/Zip Code	CA Emergency Telephone:			City Province			Province
91766				Postal Code Emergency 1		Emergency Teleph	none
Date MSDS Prepared: MAY 2010		MSDS Prepared by: ULTRA CHEM USA INC.		IC.	Phone Number: 909-620-0949		
SECTION 2 - COMPO	OSITION / I					000 020 00	
Hazardous Ingredients (specific)		%	CAS	Number	LD ₅₀ of Ingredient (specify species and route)		LC ₅₀ of Ingredient (specify species)
PROPYLENE GL	YCOL	2.6	57-	55-6	20 g/kg (oral, rat)		N/AV
TRIBUTOXYETHYL PHOSPHATE PLASTICISER		1.5	78-	51-3	3000 mg/kg (oral, rat)		> 20 mg/L
ALIPHATIC ALKYD ACRYLIC POLYMER		25	N.	AV	NAV		NAV
WATER		71	7732-18-5		N.	AV	NAV
SECTION 3 - HAZAR	RDS IDENT	IFICATION					
Route of Entry Skin Co	ntact I Sk	in Absorption	Eye	Contact		ion =	Ingestion
[Emergency Overview]							
[WHMIS Symbols]	\bigcirc						
[Potential Health Effects]							
prolonged or repeated exp	oosure can ca	use skin drying] .				
SECTION 4 - FIRST	AID MEAS	URES					
Skin Contact	. If invitation n	ovojeto o ole vo		nti o n			
Wash with soap and wate							
Flush with copious amoun	its of potable v	water. Seek me	edical atter	ntion immed	liately.		
aauon							

	S FLEX PLATINUM	Page 2/4
SECTION 5 - FIRE FIGHTI	NG MEASURES	
Flammable . D Yes No	If yes, under which conditions?	
Means of Extinction		
As for surrounding Fire. Normal F	ire - Fighting Procedures Upper Flammable Limit (% by volume)	Lower Flammable Limit (% by volume)
Flashpoint (°C) and Method None	N/AP	N/AP
Autoignition Temperature (°C) None	Explosion Data - Sensitivity to Impact NO	Explosion Data - Sensivity to Static Discharge N0
Hazardous Combustion Products Oxides of Carbon		
[NFPA] NONE		
SECTION 6 - ACCIDENTA	L RELEASE MEASURES	
Leak and Spill Procedures	" (1) U Process Disease	
Large spill: dike with absorbent, c	collect in drum, then dispose. Rinse	with water and let dry.
SECTION 7 - HANDLING A	AND STORAGE	
Handling Procedures and Equipment		
Handling Procedures and Equipment Normal handling procedures, avo	id skin and eye contact.	
	id skin and eye contact.	
Normal handling procedures, avo	id skin and eye contact.	
Normal handling procedures, avo		
Normal handling procedures, avo		
Normal handling procedures, avo		
Normal handling procedures, avo	ommended temperature 15°C	
Normal handling procedures, avo		OTECTION
Normal handling procedures, avo Storage Requirements Store in well ventilated area. Recu SECTION 8 - EXPOSURE (Exposure Limits	ommended temperature 15°C CONTROL / PERSONAL PRO	
Normal handling procedures, avo Storage Requirements Store in well ventilated area. Recu SECTION 8 - EXPOSURE (Exposure Limits . N/AV ACGIH TLV	ommended temperature 15°C CONTROL / PERSONAL PRO	OTECTION Other (specify)
Normal handling procedures, avo Storage Requirements Store in well ventilated area. Recu SECTION 8 - EXPOSURE (Exposure Limits	ommended temperature 15°C CONTROL / PERSONAL PRO	
Storage Requirements Store in well ventilated area. Recursive SECTION 8 - EXPOSURE CEXPOSURE CEX	ommended temperature 15°C CONTROL / PERSONAL PRO	
Storage Requirements Store in well ventilated area. Recursive Exposure Limits N/AV ACGIH TLV Specific Engineering Controls (such as ventilation enclor) Normal ventilation Personal Protective Equipment	control / Personal Process)	Other(specify)
Storage Requirements Store in well ventilated area. Recommendate in well ventilated area. Recommendated i	ommended temperature 15°C CONTROL / PERSONAL PRO	Other(specify)
Storage Requirements Store in well ventilated area. Recommendate in well ventilated area. Recommendated in	CONTROL / PERSONAL PRO OSHA PEL Dised process) Eye Footwear	Other (specify)
Storage Requirements Store in well ventilated area. Recommendate in well ventilated area. Recommendated in	control / Personal Process)	Other (specify)
Storage Requirements Store in well ventilated area. Recul SECTION 8 - EXPOSURE Exposure Limits . N/AV ACGIH TLV Specific Engineering Controls (such as ventilation enclo Normal ventilation Personal Protective Equipment . Gloves Respirator If checked, please specify type Neoprene Minimum - NIOSH Approved, org.	CONTROL / PERSONAL PRO OSHA PEL Dised process) Eye Footwear	Other (specify)

Product Identifier	HIGH GLOS	SS FLEX PL	ATINUM/
I TOUGUE TUETHING		JU 1 LLA 1 L	

page 3/4

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Privsical State		Odour Threshold (ppm) N/AV
Specific Gravity 1.035	Vapour Density (air = 1) < 1	Vapour Pressure (mmHg) 17 mmHg
Evaporation Rate > 1	Boiling Point (°C) >100°C	Freezing Point (°C) <0°C
_{рн} 8.5 <u>+</u> 0.5	Coefficient of Water / Oil Distribution 100% water soluble	[Solubility in Water] 100%

SECTION 10 - STABILITY AND REACTIVITY

Chemica	I Stability			If no, under which conditions?
	Yes	Ø	No	
Incompa	tibility with Other Substances Yes	Ø	No	. Strong oxidizing agents
Reactivit None	y, and under what conditions?			
Hazardo None	us Decomposition Products			

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of Acute Exposure	
Inhalation, eye, skin contact may cause irritation	
Effects of Chronic Exposure	
Prolonged or repeated exposure may cause skin drying.	
Irritancy of Product	
contact with eyes / skin	
Skin Sensitization	Respiratory Sensitization
N/AV	
Carcinogenicity -IARC	Carcinogenicity - ACGIH
No	No
Reproductive Toxicity	Teratogenicity
N/A	N/A
Embryotoxicity	Mutagenicity
	N/A
Name of Synergistic Products / Effects	
N/A	

Product Identifier HIGH GLO	SS FLEX PLATINUM	Page 4/4
SECTION 12 - ECOLOGIC		
Aquatic Toxicity Molibity= N/A	Persistence= N/A	Bioaccumulative = N/A
• •	ater, this material is released	d secondary waste treatment microbial respiration. When directly or indirectly into the environment is not expected a BOD5 (G Oxygen (ML) = 0.14
Acute Aquatic effects Data: 24 h 96 hrs LC ₅₀ (Blue Gill Sunfish) n	, ,	00 mg/L
SECTION 13 - DISPOSAL	CONSIDERATIONS	
Waste Disposal According to local, provincial and	I federal government requirer	ments
SECTION 14 - TRANSPOI	RT INFORMATION	
Special Shipping Information: Normal procedures. Keep from f	reezina	
Normal procedures. Reep from h	eezing.	PIN
TDG: N/AP	[DOT]	
[IMO]	[ICAO]	
SECTION 15 - REGULATO	DRY INFORMATION	
[WHMIS Classification] Class D Div 2 Materia	ls Causing Other Toxic [IOSHA]	
[SERA]	[TSCA]	
		ordance with the hazard criteria of the DS contains all of the information required by CPR
SECTION 16 - OTHER INF		20 contains an or the information required by or ix
Notice to Reader:		
nor any of its subsidiaries assun herein. Final determination of	nes any liability whatsoever fo suitability of any material is th	ein is accurate. However, neither the above named supplier or the accuracy or completeness of the information contained ne sole responsibility of the user. All materials may present a certain hazards are described herein, we cannot guarantee ly hazards that exist.