MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Hazardous Ingredients (specific) HIGH GLOSS FLEX GOLI	D				WHMIS Classifica	tion: MINIMAL
Product Use: Floor Finish						
Manufacturer's Name: ULTRA CHEM USA INC.			ş	Suppliers Name		
Street Address: 1462 E. MISSION BOULEVARD				Street Address		
^{city:} POMONA	Province:/ State CA		(City		Province
Zip Code: Emergency Telephone: 91766 1-800-535-5053			F	Postal Code	Emergency Telepl	none
Date MSDS Prepared: AUGUST 2009		MSDS Prepared by: ULTRA CHEM USA INC.		Phone Number: 909-620-0949		

SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients (<i>specific</i>)	%	CAS Number	LD ₅₀ of Ingredient (specify species and route)	LC 50 of Ingredient (specify species)
PROPYLENE GLYCOL	2.6	57-55-6	20 g/kg (oral, rat)	N/AV
TRIBUTOXYETHYL PHOSPHATE PLASTICISER	1.5	78-51-3	3000 mg/kg (oral, rat)	> 20 mg/L
ALIPHATIC ALKYD ACRYLIC POLYMER	25	NAV	NAV	NAV
WATER	71	7732-18-5	NAV	NAV

SECTION 3 - HAZARDS IDENTIFICATION

Route of Entry					
	Skin Contact	Skin Absorption	Eye Contact	🗇 inhalation	Ingestion
[Emergency Overview]					
[WHMIS Symbols]	Ţ				
Potential Health Effects	epeated exposure ca	n cause skin drying.			

SECTION 4 - FIRST AID MEASURES

Skin Contact	
Wash with soap and water. If irritation persists seek medical attention	
Eye Contact	
Flush with copious amounts of potable water. Seek medical attention immediately.	
Inhalation	
Ingestion	
Drink 3-4 glasses of MILK or WATER. NO NOT INDUCE vomiting. Seek Medical Attention	

Product Identifier HIGH GLOSS FLEX GOLD

Page 2/4

SECTION 5 - FIRE FIGHTING MEASURES

Flammable . DYes No	If yes, under which conditions?		
Means of Extinction As for surrounding Fire. Normal Fire	e - Fighting Procedures		
Flashpoint (°C) and Method None	Upper Flammable Limit (% by volume)	Lower Flammable Limit (% by volume)	
Autoignition Temperature (°C) None	Explosion Data - Sensitivity to Impact	Explosion Data - Sensivity to Static Discharge	
Hazardous Combustion Products Oxides of Carbon [NFPA] NONE			

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures

Large spill: dike with absorbent, collect in drum, then dispose. Rinse with water and let dry.

SECTION 7 - HANDLING AND STORAGE

Handling Procedures and Equipment

Normal handling procedures, avoid skin and eye contact.

Storage Requirements

Store in well ventilated area. Recommended temperature 15°C

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits . N/AV	đ	ACGIH TLV	OSHA I	PEL	۵	Other (specify	V)		
Specific Engineering Co Normal ventila		h as ventilation enc	losed process)						
Personal Protective Equ . Gloves	📕 Re	espirator	Eye	Footwear	- Ø	Clothing	đ	Other	
^{If checked, please speci Neoprene Minimum - NIC Chemical splas Impervious}	DSH Ap		ganic vapour ca	rtridges for over	exposure	S			

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Emulsion		Odour Threshold (ppm) N/AV		
Specific Gravity	Vapour Density (air = 1)	Vapour Pressure (mmHg)		
1.035	< 1	17 mmHg		
Evaporation Rate > 1	Boiling Point (°C) >100°C	Freezing Point (°C) <0°C		
^{pH}	Coefficient of Water / Oil Distribution	[Solubility in Water]		
8.5 <u>+</u> 0.5	100% water soluble	100%		

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability			If no, under which conditions?
-	đ	Na	
. 🗗 Yes		No	
Incompatibility with Other Substances			If yes, which ones?
	đ		. Strong oxidizing agents
. 📕 Yes		No	
Reactivity, and under what conditions?			
None			
NONE			
Hazardous Decomposition Products			
None			

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of Acute Exposure	
Inhalation, eye, skin contact may cause irritation	
Effects of Chronic Exposure	
Prolonged or repeated exposure may cause skin drying.	
Irritancy of Product	
contact with eyes / skin ^{Skin Sensitization}	
Skin Sensitization	Respiratory Sensitization
N/AV	
	Carcinogenicity - ACGIH
No	No
Reproductive Toxicity	Teratogenicity
	N/A
Embryotoxicity	Mutagenicity
	N/A
Name of Synergistic Products / Effects	
N/A	

Product Identifier HIGH GLOSS FLEX GOLD

Page 4/4

SECTION 12 - ECOLOGICAL INFORMATION

Aquatic Toxicity Molibity= N/A

Persistence= N/A

Bioaccumulative = N/A

Aquatic Toxicity: Low potential affect on Aquatic organism and secondary waste treatment microbial respiration. When diluted with a large amount of water, this material is released directly or indirectly into the environment is not expected a THOD (G Oxygen G)= -1.9 COD (G Oxygen (G) = 1.9 BOD5 (G Oxygen (ML) = 0.14

Acute Aquatic effects Data: 24 hrs LC ₅₀ (Goldfish) mg/L 75,000 mg/L 96 hrs LC ₅₀ (Blue Gill Sunfish) mg/L 710,000 mg/L

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal

According to local, state and federal government requirements

SECTION 14 - TRANSPORT INFORMATION

Special Shipping Information: Normal procedures. Keep from freezing.		
		PIN
TDG: N/AP	[DOT]	
[IMO]	[ICAO]	

SECTION 15 - REGULATORY INFORMATION

[WHMIS Classification] Class D Div 2 Materials Causing Other Tox	[OSHA]				
[SERA]	[TSCA]				
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR					

SECTION 16 - OTHER INFORMATION

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.