

MATERIAL SAFETY DATA SHEET



SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: ULTRA FLOOR CARE / STRIP X		WHMIS Classification: MINIMAL	
Product Use: Floor Finish and Wax Remover			
Manufacturer's Name: ULTRA CHEM USA INC.		Suppliers Name	
Street Address: 1462 E. MISSION BOULEVARD		Street Address	
City: POMONA	Province:/ State CA	City	Province
Zip Code: 91766	Emergency Telephone: 1-800-535-5053	Postal Code	Emergency Telephone
Date MSDS Prepared: AUGUST 2009		MSDS Prepared by: ULTRA CHEM USA INC.	
		Phone Number: 909-620-0949	

SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients (<i>specific</i>)	%	CAS Number	LD ₅₀ of Ingredient (<i>specify species and route</i>)	LC ₅₀ of Ingredient (<i>specify species</i>)
N-BUTOXYPROPANOL	3	5131-66-8	2200 mg/kg)oral, rat)	N/AV
MONOETHANOLAMINE	4	141-43-5	1720 mg/kg (oral, rat)	N/AV
POTASSIUM HYDROXIDE	0.5	1310-58-3	365 mg/kg (oral, rat)	N/AV
WATER	92	7732-18-5	N/AV	N/AV

SECTION 3 - HAZARDS IDENTIFICATION

Route of Entry	
<input checked="" type="checkbox"/> Skin Contact	<input type="checkbox"/> Skin Absorption <input type="checkbox"/> Eye Contact <input type="checkbox"/> inhalation <input type="checkbox"/> Ingestion
[Emergency Overview]	
[WHMIS Symbols]	
 	
[Potential Health Effects]	
Prolonged or repeated exposure can cause drying, defatting and dermatitis of skin.	

SECTION 4 - FIRST AID MEASURES

Skin Contact
Flush with copious amounts of potable water. If irritation persists, seek medical attention
Eye Contact
Flush with copious amounts of potable water for 15 minutes. Seek medical attention.
Inhalation:
Remove to fresh air. If discomfort persists obtain medical attention.
Ingestion
Drink 3-4 glasses of milk or water. NO NOT INDUCE vomiting. Seek Medical Attention

SECTION 5 - FIRE FIGHTING MEASURES

Flammable <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		If yes, under which conditions?
Means of Extinction As for surrounding Fire. Normal Fire - Fighting Procedures		
Flashpoint (°C) and Method N/AP	Upper Flammable Limit (% by volume) N/AP	Lower Flammable Limit (% by volume) N/AP
Autoignition Temperature (°C) N/AP	Explosion Data - Sensitivity to Impact N/AP	Explosion Data - Sensivity to Static Discharge N/AP
Hazardous Combustion Products OXIDES OF CARBON, OXIDES OF NITROGEN		
[NFPA] NONE		

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures RINSE WITH COPIOUS AMOUNTS OF WATER AND LET DRY
--

SECTION 7 - HANDLING AND STORAGE

Handling Procedures and Equipment NORMAL HANDLING PROCEDURES
Storage Requirements STORE IN WELL VENTILATED AREAS, RECOMMENDED TEMPERATURE: 15c

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits <input checked="" type="checkbox"/> N/AV <input checked="" type="checkbox"/> ACGIH TLV <input checked="" type="checkbox"/> OSHA PEL <input type="checkbox"/> Other (<i>specify</i>)
Specific Engineering Controls (such as ventilation enclosed process) General ventilation
Personal Protective Equipment <input checked="" type="checkbox"/> Gloves <input checked="" type="checkbox"/> Respirator <input checked="" type="checkbox"/> Eye <input checked="" type="checkbox"/> Footwear <input type="checkbox"/> Clothing <input type="checkbox"/> Other
If checked, please specify type Neoprene OR Rubber gloves Chemical splash goggles. Impervious

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid	Odour and Appearance Mild odor, redish color solution	Odour Threshold (ppm) N/AP
Specific Gravity 1.03	Vapour Density (air = 1) 4.1	Vapour Pressure (mmHg) 8.2
Evaporation Rate as water	Boiling Point (°C) >100°C	Freezing Point (°C) <0°C
pH 1% sol 3.0	Coefficient of Water / Oil Distribution 100% water soluble	[Solubility in Water] 100%

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If no, under which conditions?
Incompatibility with Other Substances <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If yes, which ones? Strong oxidizing agents, oxides of carbon
Reactivity, and under what conditions? Heated to 250°C	
Hazardous Decomposition Products None	

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of Acute Exposure Inhalation, eye and skin contact may cause burns.	
Ingestion may cause burns to mouth, throat and abdomen	
Effects of Chronic Exposure Prolonged or repeated exposure can cause drying, defatting and dermatitis of skin	
Irritancy of Product contact with eyes / skin	
Skin Sensitization N/AV	Respiratory Sensitization
Carcinogenicity -IARC No	Carcinogenicity - ACGIH No
Reproductive Toxicity N/AV	Teratogenicity N/AV
Embryotoxicity	Mutagenicity N/AV
Name of Synergistic Products / Effects N/AV	

SECTION 12 - ECOLOGICAL INFORMATION

Aquatic Toxicity Ecotoxicity: N/A Persistence: N/A Bioaccumulative: N/A

Aquatic Toxicity= N/A

BOD and COD = N/A

Products of Biodegradation= Short Term not likely

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal

According to local, state and federal government requirements

SECTION 14 - TRANSPORT INFORMATION

Special Shipping Information:

Normal procedures. Keep from freezing.

PIN

TDG: Caustic alkali liquids; nos (potassiumhydroxide, monoethanolamine), Class 8, un 1719 PGIII

[DOT]

[IMO]

[ICAO]

SECTION 15 - REGULATORY INFORMATION

[WHMIS Classification] Class D Div 2 Materials Causing Other Toxic Effects and Class E Corrosive Materials

[OSHA]

[SERA]

[TSCA]

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR

SECTION 16 - OTHER INFORMATION

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.