MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SECTION 1 - CHEMI	CAL PROD	OCT AND C	JOWPAN	IY IDEN I	IFICATIO	N	
Hazardous Ingredients (specific) QUANTUM						WHMIS Classification: MINIMAL	
Product Use: Floor Finish						les -	
Manufacturer's Name:							
ULTRA CHEM USA INC.				Supplies Name			
Street Address: 1462 E. MISSION BOULEVARD				Street Address			
city: POMONA	Province:/ State			City			Province
Zip Code: 91766	Emergency Telephone 1-800-535-50		Postal Code		Emergency Telephone		
Date MSDS Prepared:		MSDS Prepared by: ULTRA CHEM USA IN		C.	Phone Number: 909-620-0949		
SECTION 2 - COMPO	OSITION / II	NFORMATI	ON ON I	NGREDIE	NTS		
Hazardous Ingredients (specific)		%	CAS NUMBER			ngredient ies and route)	LC ₅₀ of Ingredient (specify species)
PROPYLENE GLYCOL		2.6	57-	55-6	20g/kg ((oral, rat)	N/AV
TRIBUTOXYETHYL PHOSPHATE PLASTICISER		1.5	78-	51-3	3000 mg/kg (oral, rat)		> 20 mg/L
PROPRIETARY ACRYLI	C POLYMER	25	N	AV N		AV	NAV
WATER		71	7732-51-3		N/	AP	N/AP
SECTION 3 - HAZAR	DS IDENTI	FICATION					
Route of Entry Skin Co	ntact 🗐 Ski	in Absorption	f Eye	Contact		ion =	Ingestion
[Emergency Overview]		-	-				
[WHMIS Symbols]	\bigcirc						
[Potential Health Effects]							
prolonged or repeated exp	osure can cau	use skin drying	g.				
SECTION 4 - FIRST	AID MEASU	JRES					
_{Skin Contact} Wash with soap and wate	r. If irritation pe	ersists seek m	edical atte	ntion			
Eye Contact Flush with copious amoun					liately.		
Inhalation	·				<u>-</u>		
Ingestion							
Drink 3-4 glasses of MILK	or WATER. N	O NOT INDU	CE vomitin	g. Seek Me	<u>dical Attenti</u>	on	

	M	Page 2/4
SECTION 5 - FIRE FIGH	ITING MEASURES	
Flammable . Ves No	If yes, under which conditions?	
Means of Extinction As for surrounding Fire. Norm	al Fire - Fighting Procedures	
Flashpoint (°C) and Method None	Upper Flammable Limit (% by volume) N/AP	Lower Flammable Limit (% by volume) N/AP
Autoignition Temperature (°C) None	Explosion Data - Sensitivity to Impact N0	Explosion Data - Sensivity to Static Discharge N0
Hazardous Combustion Products Oxides of Carbon		
[NFPA] NONE		
SECTION 6 - ACCIDEN	TAL RELEASE MEASURES	
Leak and Spill Procedures	nt, collect in drum, then dispose. Ri	ingo with water and let day
Large spill. tike with absorber	it, collect in druin, their dispose. Ki	inse with water and let dry.
SECTION 7 - HANDLING	G AND STORAGE	
Handling Procedures and Equipment		
	avoid skin and eye contact.	
Handling Procedures and Equipment Normal handling procedures,	avoid skin and eye contact.	
Normal handling procedures,		
Normal handling procedures,	avoid skin and eye contact. Recommended temperature 15°C	
Normal handling procedures,		
Normal handling procedures, a Storage Requirements Store in well ventilated area. F		PROTECTION
Normal handling procedures, a Storage Requirements Store in well ventilated area. F SECTION 8 - EXPOSUR Exposure Limits	Recommended temperature 15°C	_
Normal handling procedures, a Storage Requirements Store in well ventilated area. F SECTION 8 - EXPOSUR Exposure Limits N/AV ACGIH 7 Specific Engineering Controls (such as ventilation	Recommended temperature 15°C RE CONTROL / PERSONAL	PROTECTION Other (specify)
Normal handling procedures, and storage Requirements Store in well ventilated area. F SECTION 8 - EXPOSUR Exposure Limits N/AV ACGIH T	Recommended temperature 15°C RE CONTROL / PERSONAL	_
Storage Requirements Store in well ventilated area. F SECTION 8 - EXPOSUR Exposure Limits N/AV ACGIH T Specific Engineering Controls (such as ventilation Normal ventilation Personal Protective Equipment Gloves Respirator	Recommended temperature 15°C RE CONTROL / PERSONAL TLV	Other (specify)
Storage Requirements Store in well ventilated area. F SECTION 8 - EXPOSUR Exposure Limits . N/AV ACGIH T Specific Engineering Controls (such as ventilation Normal ventilation Personal Protective Equipment . Gloves Respirator If checked, please specify type	Recommended temperature 15°C RE CONTROL / PERSONAL FLV	Other (specify)
Storage Requirements Store in well ventilated area. F SECTION 8 - EXPOSUR Exposure Limits . N/AV ACGIH T Specific Engineering Controls (such as ventilation Normal ventilation Personal Protective Equipment . Gloves Respirator If checked, please specify type Neoprene Minimum - NIOSH Approved,	Recommended temperature 15°C RE CONTROL / PERSONAL FLV	Other (specify) Clothing
Storage Requirements Store in well ventilated area. F SECTION 8 - EXPOSUR Exposure Limits . N/AV ACGIH T Specific Engineering Controls (such as ventilation Normal ventilation Personal Protective Equipment . Gloves Respirator If checked, please specify type Neoprene	Recommended temperature 15°C RE CONTROL / PERSONAL FLV	Other (specify) Clothing

D	l al a .a 4:£: a .a	OLIANITI INA	
Product	Identifier	QUANTUM	

page 3/4

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

	• • • • • • • • • • • • • • • • • • • •	Odour Threshold (ppm) N/AV
Specific Gravity 1.035	Vapour Density (air = 1) < 1	Vapour Pressure (mmHg) 17 mmHg
Evaporation Rate > 1	Boiling Point (°C) >100°C	Freezing Point (°C) <0°C
pH	Coefficient of Water / Oil Distribution 100% water soluble	[Solubility in Water] 100%

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability		If no, under which conditions?
. 🕶 Yes	No	
Incompatibility with Other Substances		If yes, which ones?
. 1 Yes	No	Strong oxidizing agents
Reactivity, and under what conditions?		
None		
Hazardous Decomposition Products		
None		
None		

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of Acute Exposure	
Inhalation, eye, skin contact may cause irritation	
Effects of Chronic Exposure	
Prolonged or repeated exposure may cause skin drying.	
Irritancy of Product	
contact with eyes / skin	
Skin Sensitization	Respiratory Sensitization
N/AV	
Carcinogenicity -IARC	Carcinogenicity - ACGIH
No	No
Reproductive Toxicity	Teratogenicity
N/A	N/A
Embryotoxicity	Mutagenicity
	N/A
Name of Synergistic Products / Effects	
N/A	

Product Identifier QUANTU	JM	Page 4/4
SECTION 12 - ECOLOG	ICAL INFORMATION	
Aquatic Toxicity Molibity= N/A	Persistence= N/A	Bioaccumulative = N/A
	water, this material is re	nism and secondary waste treatment microbial respiration. When eleased directly or indirectly into the environmnet is not expected a 1.9 BOD5 (G Oxygen (ML) = 0.14
Acute Aquatic effects Data: 24 96 hrs LC ₅₀ (Blue Gill Sunfish)		ı/L 75,000 mg/L
SECTION 13 - DISPOSA	L CONSIDERATIO	NS
Waste Disposal According to local, state and fe	ederal governm <u>ent requi</u>	irements
SECTION 14 - TRANSPO	ORT INFORMATION	N
Special Shipping Information: Normal procedures. Keep from	n freezina.	
TOTAL PLANTS	1110000	PIN
TDG: N/AP		[DOT]
[IMO]	ı	[ICAO]
SECTION 15 - REGULA	TORY INFORMATION	ON
[WHMIS Classification] Class D Div 2 Mate Effects	erials Causing Other Toxic	[OSHA]
[SERA]		[TSCA]
		ied in accordance with the hazard criteria of the nd the MSDS contains all of the information required by CPR
SECTION 16 - OTHER IN		
Notice to Reader:		
nor any of its subsidiaries assi herein. Final determination o	umes any liability whatso of suitability of any mate I be used with caution. a	ned herein is accurate. However, neither the above named supplier oever for the accuracy or completeness of the information contained erial is the sole responsibility of the user. All materials may present although certain hazards are described herein, we cannot guarantee the only hazards that exist.