

# MATERIAL SAFETY DATA SHEET


## SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: <b>Heavy Duty Cleaner 3D</b>		WHMIS Classification: <b>MINIMAL</b>	
Product Use: <b>HEAVY DUTY MULTI-PURPOSE CLEANER</b>			
Manufacturer's Name: <b>ULTRA CHEM USA INC.</b>		Suppliers Name	
Street Address: <b>1462 E. MISSION BOULEVARD</b>		Street Address	
City: <b>POMONA</b>	Province / State <b>CA</b>	City	Province
Zip Code: <b>91766</b>	Emergency Telephone: <b>1-800-535-5053</b>	Postal Code	Emergency Telephone
Date MSDS Prepared: <b>AUGUST 2009</b>	MSDS Prepared by: <b>ULTRA CHEM USA INC.</b>		Phone Number: <b>909-620-0949</b>

## SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients ( <i>specific</i> )	%	CAS Number	LD <sub>50</sub> of Ingredient ( <i>specify species and route</i> )	LC <sub>50</sub> of Ingredient ( <i>specify species</i> )
POTASSIUM HYDROXIDE	1%	1310-58-3	365 mg/kg (oral, rat)	N/AV
C9-C11 LINEAR PRIMARY ALCOHOL ETHOXYLATE	3.5%	68439-46-3	1400 mg/kg (oral, rat)	N/AV
PROPYLENE GLYCOL	2%	57-55-6	20g/kg (oral, rat)	N/AV
WATER	93	7732-18-5	N/AP	N/AP
FRAGRANCE	0.01	N/A	N/AP	N/AP

## SECTION 3 - HAZARDS IDENTIFICATION

Route of Entry	<input checked="" type="checkbox"/> Skin Contact	<input type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Eye Contact	<input type="checkbox"/> inhalation	<input checked="" type="checkbox"/> Ingestion
[Emergency Overview]					
[WHMIS Symbols]					
[Potential Health Effects]	Prolonged or repeated exposure can cause drying, defatting and dermatitis of the skin.				

## SECTION 4 - FIRST AID MEASURES

Skin Contact	Flush with copious amounts of potable water. If irritation persists seek medical attention immediately.
Eye Contact	Flush with copious amounts of potable water. Seek medical attention immediately.
Inhalation	Remove to fresh air. If discomfort persists obtain medical attention.
Ingestion	DO NOT INDUCE VOMITING. Give lots of water or milk. Seek medical attention.

**SECTION 5 - FIRE FIGHTING MEASURES**

Flammable <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		If yes, under which conditions?	
Means of Extinction <b>As for surrounding Fire. Normal Fire - Fighting Procedures</b>			
Flashpoint (°C) and Method N/AP	Upper Flammable Limit (% by volume) N/AP	Lower Flammable Limit (% by volume) N/AP	
Autoignition Temperature (°C) None	Explosion Data - Sensitivity to Impact N/AP	Explosion Data - Sensivity to Static Discharge N/AP	
Hazardous Combustion Products None			
[NFPA] NONE			

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Leak and Spill Procedures  
 Rinse with water and let dry

**SECTION 7 - HANDLING AND STORAGE**

Handling Procedures and Equipment container tightly closed when not in use.	Keep
Storage Requirements Store in well ventilated area.	

**SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION**

Exposure Limits <input checked="" type="checkbox"/> N/AV <input type="checkbox"/> ACGIH TLV <input type="checkbox"/> OSHA PEL <input type="checkbox"/> Other ( <i>specify</i> )
Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation normally adequate.
Personal Protective Equipment <input checked="" type="checkbox"/> Gloves <input checked="" type="checkbox"/> Respirator <input type="checkbox"/> Eye <input type="checkbox"/> Footwear <input type="checkbox"/> Clothing <input type="checkbox"/> Other
If checked, please specify type Rubber or neoprene For spills or overexposure NIOSH Approved, organic vapour cartridges. Chemical splash goggles. Impervious

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical State <b>Liquid</b>	Odour and Appearance <b>Natural citrus odour. Clear light amber color</b>	Odour Threshold (ppm) <b>N/AV</b>
Specific Gravity <b>1.02 + 0.01</b>	Vapour Density (air = 1) <b>4.1</b>	Vapour Pressure (mmHg) <b>1.7 mmHg</b>
Evaporation Rate <b>0.22</b>	Boiling Point (°C) <b>&gt;100°C</b>	Freezing Point (°C) <b>&lt;0°C</b>
pH <b>11.5+.05</b>	Coefficient of Water / Oil Distribution <b>100% water soluble</b>	[Solubility in Water] <b>100%</b>

**SECTION 10 - STABILITY AND REACTIVITY**

Chemical Stability <input checked="" type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	If no, under which conditions?
Incompatibility with Other Substances <input checked="" type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	If yes, which ones? <b>Strong oxidizing agents.</b>
Reactivity, and under what conditions? <b>None</b>	
Hazardous Decomposition Products <b>None</b>	

**SECTION 11 - TOXICOLOGICAL INFORMATION**

Effects of Acute Exposure <b>Inhalation, eye, skin contact. May cause burns.</b>	
Effects of Chronic Exposure <b>Prolonged or repeated exposure can cause drying defatting and Dermatitis of the skin.</b>	
Irritancy of Product <b>contact with eyes / skin</b>	
Skin Sensitization <b>N/AV</b>	Respiratory Sensitization
Carcinogenicity -IARC <b>No</b>	Carcinogenicity - ACGIH <b>No</b>
Reproductive Toxicity <b>N/AV</b>	Teratogenicity <b>N/AV</b>
Embryotoxicity	Mutagenicity <b>N/AV</b>
Name of Synergistic Products / Effects <b>N/A</b>	

**SECTION 12 - ECOLOGICAL INFORMATION**

Aquatic Toxicity      Mobility: N/A      Persistence: N/A      Bioaccumulative: N/A

Aquatoxicity: Acute fish toxicity. LD<sub>50</sub>=138 mg/L/96 hours. Mosquito fish

Acute Crustaceans Toxicity= N/A      Acute Algea Toxicity= N/A

BOD and COD = N/A. Other information: Material is practically non toxic to fish on an acute basis.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

Waste Disposal

According to local, state and federal government requirements

**SECTION 14 - TRANSPORT INFORMATION**

Special Shipping Information: Normal procedures. Keep from freezing.

PIN

TDG: N/AP

[DOT]

[IMO]

[ICAO]

**SECTION 15 - REGULATORY INFORMATION**

[WHMIS Classification] Class D Div 2 Materials

causing other toxic effects.



[OSHA]

[SERA]

[TSCA]

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR

**SECTION 16 - OTHER INFORMATION**

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.